



230mm (9") Sterile Tie-On Cleanroom Facemask

Last updated **20 Oct 2026****PRODUCT CODE**

UNIVERSAL SIZE



IPA resistant ink pouches to maintain traceability

Class 10 cleanroom
Class 100 cleanroom

Processed in a NEBB certified
ISO Class 5 cleanroom

Blending granulates and powders

Five (5) years from date of manufacture

10 outer bags per lined carton
(500 pieces)

PHYSICAL PROPERTIES

LENGTH	WIDTH	COLOUR	STYLE
230mm (± 5mm)	95mm (± 5mm)	White	Tie-On

MATERIALS

Outer layer	Non-woven spunbond polyester
Filtration Layer	Non-woven meltblown polyester
Inner facing layer	Non-woven polypropylene / polyethylene
Tie-tapes	Non-woven polyester

FILTRATION PROPERTIES

Particle Filtration Efficiency (PFE) @ 0.1 Micron	94%
Bacterial Filtration Efficiency (BFE) @ 0.3 Micron	97%
Differential Pressure (ΔP), mm H ₂ O/cm ²	6.8



TECHNICAL PROPERTIES

NORM	TEST REFERENCE	EXPLANATION
Sterility Validation Test	EN ISO 11137 Part 2:2015	Specifies requirements for the development, validation and routine control of a radiation sterilization process
Particle Generation Test by Helmke Drum	IEST-RP-CC003.4	Specifies methods for particle shed analysis in Helmke Drum applications

HELMKE DRUM TEST RESULT

PARTICLE SIZE	CUMULATIVE RELEASE RATE (COUNTS/MIN)	SPECIFICATION	CLASS
≥ 0.3µm	84	less than 2000	1
≥ 0.5µm	33	less than 1200	1

LOADING

	EURO-PALLET	STANDARD PALLET
Pallet size	W80 L120cm	W100 L120cm
Gross weight	4.32kg	4.32kg
Carton size	W29.5 L47 H21cm	W29.5 L47 H21cm
Nett weight	2.52kg	2.52kg
Air freight pallet	Max height: 141cm Layers: 6 Cartons: 34	Max height: 141cm Layers: 6 Cartons: 42
Sea freight pallet	Max height: 162cm Layers: 7 Cartons: 40	Max height: 162cm Layers: 7 Cartons: 49

DOCUMENTATION



CERTIFICATE OF CONFORMANCE (COC)
CERTIFICATE OF ANALYSIS (COA)
CERTIFICATE OF PROCESSING (COP)

View [sample](#) of COC, COA, COP



FACTORY RELATED CERTIFICATIONS

To request ISO9001 Certificate,
please [email us](#)

Country of Origin: China
HS Code: 6307909000

This data sheet and any other claims made by or on behalf of Isofield shall not be taken as a warranty of merchantability or as a statement that any Isofield products are suitable for a specific purpose. Isofield shall not be held responsible for the end user's choice of product for a particular application.



EUROPE

ISOFIELD (IRELAND) LTD
Charter House, 5 Pembroke Row, Dublin 2
Dublin, D02 FW61, Ireland

ASIA

ISOFIELD SDN BHD
6 Jalan Gudang 16/9, Seksyen 16, 40200, Shah Alam,
Selangor, Malaysia, T +603 5512 1709

CONTACT

www.isofield.com
enquiries@isofield.com