

Isofield Cos

Non-sterile Lightweight Cleanroom Socks

Last updated 25 Mar 2024







SMALL/MEDIUM LARGE/XLARGE XXLARGE

70610S-M 70610L-XL 70610-XXL



PRODUCT INFO



Non-sterile lightweight Cleanroom socks Single-use 95% polyester, 5% spandex Mid-calf length Low linting White colour Three sizes for added flexibility

CLEANROOM COMPATIBILITY



ISO Class 4 cleanroom ISO Class 5 cleanroom Class 10 cleanroom Class 100 cleanroom

OUALITY ASSURANCE



Manufactured in a facility operating under ISO 9001:2015 quality management system Processed in a NEBB certified ISO

Class 5 Cleanroom

APPLICATIONS 🖺



Pharmaceutical product preparation Cleanroom cleaning and preparation Medical device manufacturing Blending operations for biotechnologies Handling of active materials Maintenance of equipment and instruments

STORAGE & SHELF LIFE



Store in a dry, cool place (<40°C) away from direct sunlight Do not expose open cartons to prolonged direct fluorescent light Five (5) years from date of

manufacture

PACKAGING 📮



10 pairs per double bag, 50 sealed outer cleanroom bags per carton, 500 pairs per carton

TECHNICAL PROPERTIES

NORM	TEST REFERENCE	EXPLANATION
Particle Generation Test by Helmke Drum	IEST-RP-CC003.4	Specifies methods for particle shed analysis in Helmke Drum applications

HELMKE DRUM TEST RESULT

PARTICLE SIZE	CUMULATIVE RELEASE RATE (COUNTS/MIN)	SPECIFICATION	CLASS
≥ 0.3µm	547	less than 2000	1
≥ 0.5µm	222	less than 1200	1



LOADING

	EURO-PALLET	STANDARD PALLET
Pallet size	W80 L120cm	W100 L120cm
Gross weight	13.8 - 16.2kg	13.8 - 16.2kg
Carton size	W40 L44 H55cm	W40 L44 H55cm
Nett weight	12.6 - 15.0kg	12.6 - 15.0kg
Air freight pallet	Max height: 125cm Layers: 2 Cartons: 8	Max height: 141cm Layers: 2 Cartons: 12
Sea freight pallet	Max height: 128cm Layers: 3 Cartons: 12	Max height: 162cm Layers: 3 Cartons: 18

DOCUMENTATION



CERTIFICATE OF CONFORMANCE (COC)
CERTIFICATE OF ANALYSIS (COA)

View sample of COC & COA



FACTORY RELATED CERTIFICATIONS

To request ISO9001 Certificate, please email us

Country of origin: **China** HS Code: 6115990000

This data sheet and any other claims made by or on behalf of Isofield shall not be taken as a warranty of merchantability or as a statement that any Isofield products are suitable for a specific purpose. Isofield shall not be held responsible for the end user's choice of product for a particular application.



EUROPE

CONTACT