

Isofield **Isoclave CF**

Close-Fit Autoclavable Cleanroom Goggles

Last updated 04 Apr 2024







50210

UNIVERSAL SIZE



PRODUCT INFO 🖺



Autoclavable Cleanroom goggles Premium anti-scratch, anti-fog lens Indirect upper ventilation, non-vented bottom

Panoramic visibility Fits over standard prescription

Ergonomic frame with flexible nose skirt to ensure secure fit

Non-sterile, goggle must be processed prior to use

CLEANROOM COMPATIBILITY



GMP Grade A cleanroom GMP Grade B cleanroom

ISO Class 4 cleanroom ISO Class 5 cleanroom

Class 10 cleanroom Class 100 cleanroom

OUALITY ASSURANCE



Manufactured in a facility operating under ISO 9001:2015 quality management system

APPLICATIONS 🚏



Preparation of sterile emulsions Filling of glass vials and syringes Handling of sterile equipment

STORAGE & SHELF LIFE



Store in a dry, cool place (<40°C) away from direct sunlight

Do not expose open cartons to prolonged direct fluorescent light Five (5) years from date of manufacture

PACKAGING 📮




- 1 piece per sealed PE bag,
- 10 pieces per inner box, 5 boxes per carton (50 pieces)

PHYSICAL PROPERTIES

PHYSICAL PROPERTIES	VALUE	
Lens material	Medical-grade polycarbonate (PC)	
Frame material	Silicone	
Headband	Silicone	
Clips	Medical grade polycarbonate	
Typical goggle weight	109g	
Typical lens thickness	1.15mm	
Overall height	90mm	

TECHNICAL PROPERTIES

NORM	TEST REFERENCE	EXPLANATION
Autoclave test	121°C for 30 minutes at 1 PSI	Determines maximum number of autoclave cycles before defect is observed



LOADING

	EURO-PALLET	STANDARD PALLET
Pallet size	W80 L120cm	W100 L120cm
Gross weight	8.8kg	8.8kg
Carton size	W39.5 L44 H55cm	W39.5 L44 H55cm
Nett weight	5.8kg	5.8kg
Air freight pallet	Max height: 125cm Layers: 2 Cartons: 8	Max height: 125cm Layers: 2 Cartons: 12
Sea freight pallet	Max height: 180cm Layers: 3 Cartons: 12	Max height: 180cm Layers: 3 Cartons: 18

DOCUMENTATION




CERTIFICATE OF CONFORMANCE (COC)
CERTIFICATE OF ANALYSIS (COA)

To request **sample** of COC, COA, please **email us**



FACTORY RELATED CERTIFICATIONS

To request ISO9001 certificate, please email us



This data sheet and any other claims made by or on behalf of Isofield shall not be taken as a warranty of merchantability or as a statement that any Isofield products are suitable for a specific purpose. Isofield shall not be held responsible for the end user's choice of product for a particular application.



EUROPE

ASIA

CONTACT